



ANAPHYLAXIS POLICY



Help for non-English speakers - If you need help to understand the information in this policy, please contact the office on (03) 9439 9374 or email eltham.ps@education.vic.gov.au.

PURPOSE

To explain to Eltham Primary School parents, carers, staff and students the processes and procedures in place to support students diagnosed as being at risk of suffering from anaphylaxis. This policy also ensures that Eltham Primary School is compliant with Ministerial Order 706 and the Department's guidelines for anaphylaxis management.

SCOPE

This policy applies to:

- all staff, including casual relief staff and volunteers
- all students who have been diagnosed with anaphylaxis, or who may require emergency treatment for an anaphylactic reaction, and their parents and carers.

POLICY

School Statement

Eltham Primary School will fully comply with Ministerial Order 706 and the associated guidelines published by the Department of Education and Training.

Anaphylaxis

Anaphylaxis is a severe allergic reaction that occurs after exposure to an allergen. The most common allergens for school-aged children are nuts, eggs, cow's milk, fish, shellfish, wheat, soy, sesame, latex, certain insect stings and medication.

Symptoms

Signs and symptoms of a mild to moderate allergic reaction can include:

- swelling of the lips, face and eyes
- hives or welts
- tingling in the mouth.

Signs and symptoms of anaphylaxis, a severe allergic reaction, can include:

- difficult/noisy breathing
- swelling of tongue
- difficulty talking and/or hoarse voice
- wheeze or persistent cough

- persistent dizziness or collapse
- student appears pale or floppy
- abdominal pain and/or vomiting.

Symptoms usually develop within ten minutes and up to two hours after exposure to an allergen, but can appear within a few minutes.

Treatment

Adrenaline given as an injection into the muscle of the outer mid-thigh is the first aid treatment for anaphylaxis.

Individuals diagnosed as being at risk of anaphylaxis are prescribed an adrenaline autoinjector for use in an emergency. These adrenaline autoinjectors are designed so that anyone can use them in an emergency.

Individual Anaphylaxis Management Plans

All students at Eltham Primary School who are diagnosed by a medical practitioner as being at risk of suffering from an anaphylactic reaction must have an Individual Anaphylaxis Management Plan. When notified of an anaphylaxis diagnosis, the principal of Eltham Primary School is responsible for developing a plan in consultation with the student's parents/carers.

Where necessary, an Individual Anaphylaxis Management Plan will be in place as soon as practicable after a student enrolls at Eltham Primary School and where possible, before the student's first day.

Parents and carers must:

- obtain an ASCIA Action Plan for Anaphylaxis from the student's medical practitioner and provide a copy to the school as soon as practicable
- immediately inform the school in writing if there is a relevant change in the student's medical condition and obtain an updated ASCIA Action Plan for Anaphylaxis
- provide an up-to-date photo of the student for the ASCIA Action Plan for Anaphylaxis when that Plan is provided to the school and each time it is reviewed
- provide the school with a current adrenaline autoinjector for the student that has not expired;
- participate in annual reviews of the student's Plan.

Each student's Individual Anaphylaxis Management Plan must include:

- information about the student's medical condition that relates to allergies and the potential for anaphylactic reaction, including the type of allergies the student has
- information about the signs or symptoms the student might exhibit in the event of an allergic reaction based on a written diagnosis from a medical practitioner
- strategies to minimise the risk of exposure to known allergens while the student is under the care or supervision of school staff, including in the school yard, at camps and excursions, or at special events conducted, organised or attended by the school
- the name of the person(s) responsible for implementing the risk minimisation strategies, which have been identified in the Plan
- information about where the student's medication will be stored
- the student's emergency contact details
- an up-to-date ASCIA Action Plan for Anaphylaxis completed by the student's medical practitioner.

Review and updates to Individual Anaphylaxis Management Plans

A student's Individual Anaphylaxis Management Plan will be reviewed and updated on an annual basis in consultation with the student's parents/carers. The plan will also be reviewed and, where necessary, updated in the following circumstances:

- as soon as practicable after the student has an anaphylactic reaction at school
- if the student's medical condition, insofar as it relates to allergy and the potential for anaphylactic reaction, changes
- when the student is participating in an off-site activity, including camps and excursions, or at special events including fetes and concerts.

Our school may also consider updating a student's Individual Anaphylaxis Management Plan if there is an identified and significant increase in the student's potential risk of exposure to allergens at school.

Location of plans and adrenaline autoinjectors

Depending on the age of the students at Eltham PS Primary School who are at risk of anaphylaxis, the severity of their allergies and the content of their plan, some students may keep their adrenaline autoinjector on their person, rather than in a designated location. Copies of the plans are available in the sick bay, school office and relevant classrooms, or in the materials provided to staff on yard duty, so that the plan is easily accessible by school staff in the event of an incident.

If students will not keep their adrenaline autoinjectors on their person:

- A copy of each student's Individual Anaphylaxis Management Plan will be stored with their ASCIA Action Plan for Anaphylaxis at the office, together with the student's adrenaline autoinjector. Adrenaline autoinjectors must be labelled with the student's name.
- When students keep their adrenaline autoinjectors on their person:
- A copy of each student's Individual Anaphylaxis Management Plan will be stored with their ASCIA Action Plan for Anaphylaxis at the office. Students are encouraged to keep their adrenaline autoinjectors on their person. Adrenaline autoinjectors for general use are available at First Aid Room, front office or in the materials provided to staff on yard duty and are labelled "general use".

Risk Minimisation Strategies

To reduce the risk of a student suffering from an anaphylactic reaction at Eltham PS Primary School, we have put in place risk management strategies. The strategies Eltham PS Primary School will adopt the following, (depending on the age of students and types of allergies that they may suffer from):

- Plan ahead for special class activities or special occasions such as excursions, incursions, sport days, camps and parties. Work with parents/carers to provide appropriate food for the student.
- Be aware of the possibility of hidden allergens in foods and of traces of allergens when using items such as egg or milk cartons in art or cooking classes.
- Be careful of the risk of cross-contamination when preparing, handling and displaying food
- Ensure that tables and surfaces are wiped down regularly and that students wash their hands after handling food
- students are discouraged from sharing food
- gloves must be worn when picking up papers or rubbish in the playground
- kitchen garden staff are trained in appropriate food handling to reduce the risk of cross-contamination

- year groups will be informed of allergens that must be avoided in advance of class parties, events or birthdays
- a general use EpiPen will be stored at the school office for ease of access
- Raise student and school community awareness about severe allergies and the importance of their role in fostering a school environment that is safe and supportive for their peers
- Inform parents if classroom teachers will provide food and ensure every effort is made to avoid foods containing allergens
- Remind parents to only provide food for their child

Adrenaline autoinjectors for general use

Eltham PS Primary School will maintain a supply of adrenaline autoinjector(s) for general use, as a back-up to those provided by parents and carers for specific students, and also for students who may suffer from a first time reaction at school.

Adrenaline autoinjectors for general use will be stored at the front office and labelled *general use*.

The principal is responsible for arranging the purchase of adrenaline auto-injectors for general use, and will consider:

- the number of students enrolled at Eltham PS Primary School at risk of anaphylaxis
- the accessibility of adrenaline auto-injectors supplied by parents
- the availability of a sufficient supply of auto-adrenaline injectors for general use in different locations at the school, as well as at camps, excursions and events
- the limited life span of adrenaline auto-injectors, and the need for general use adrenaline auto-injectors to be replaced when used or prior to expiry.

Emergency Response

In the event of an anaphylactic reaction, the emergency response procedures in this policy must be followed, together with the school's general first aid procedures, emergency response procedures and the student's Individual Anaphylaxis Management Plan.

A complete and up to date list of students identified as being at risk of anaphylaxis is maintained by the front office and stored at the front office. For camps, excursions and special events, a designated staff member will be responsible for maintaining a list of students at risk of anaphylaxis attending the special event, together with their Individual Anaphylaxis Management Plans and adrenaline autoinjectors, where appropriate.

If a student experiences an anaphylactic reaction at school or during a school activity, school staff must:

Step	Action
1.	<ul style="list-style-type: none"> • Lay the person flat • Do not allow them to stand or walk • If breathing is difficult, allow them to sit • Be calm and reassuring • Do not leave them alone • Seek assistance from another staff member or reliable student to locate the student's adrenaline autoinjector or the school's general use autoinjector, and the student's Individual Anaphylaxis Management Plan, stored at the front office

	<ul style="list-style-type: none"> If the student's plan is not immediately available, or they appear to be experiencing a first time reaction, follow steps 2 to 5
2.	<p>Administer an EpiPen or EpiPen Jr</p> <ul style="list-style-type: none"> Remove from plastic container Form a fist around the EpiPen and pull off the blue safety release (cap) Place orange end against the student's outer mid-thigh (with or without clothing) Push down hard until a click is heard or felt and hold in place for 3 seconds Remove EpiPen Note the time the EpiPen is administered Retain the used EpiPen to be handed to ambulance paramedics along with the time of administration <p>OR</p> <p>Administer an Anapen® 500, Anapen® 300, or Anapen® Jr.</p> <ul style="list-style-type: none"> Pull off the black needle shield Pull off grey safety cap (from the red button) Place needle end firmly against the student's outer mid-thigh at 90 degrees (with or without clothing) Press red button so it clicks and hold for 10 seconds Remove Anapen® Note the time the Anapen is administered Retain the used Anapen to be handed to ambulance paramedics along with the time of administration
3.	Call an ambulance (000)
4.	If there is no improvement or severe symptoms progress (as described in the ASCIA Action Plan for Anaphylaxis), further adrenaline doses may be administered every five minutes, if other adrenaline autoinjectors are available.
5.	Contact the student's emergency contacts.

If a student appears to be having a severe allergic reaction, but has not been previously diagnosed with an allergy or being at risk of anaphylaxis, school staff should follow steps 2 – 5 as above.

[Note: If in doubt, it is better to use an adrenaline autoinjector than not use it, even if in hindsight the reaction is not anaphylaxis. Under-treatment of anaphylaxis is more harmful and potentially life threatening than over-treatment of a mild to moderate allergic reaction. Refer to [Frequently asked questions — Anaphylaxis](#)].

Communication Plan

This policy will be available on Eltham Primary School's website so that parents and other members of the school community can easily access information about Eltham Primary School's anaphylaxis management procedures. The parents and carers of students who are enrolled at Eltham Primary School and are identified as being at risk of anaphylaxis will also be provided with a copy of this policy.

The principal is responsible for ensuring that all relevant staff, including casual relief staff, canteen staff and volunteers are aware of this policy and Eltham Primary School's procedures for anaphylaxis management. Casual relief staff and volunteers who are responsible for the care and/or supervision of students who are identified as being at risk of anaphylaxis will also receive a verbal briefing on this policy, their role in responding to an anaphylactic reaction and where required, the identity of students at risk.

The principal is also responsible for ensuring relevant staff are trained and briefed in anaphylaxis management, consistent with the Department's *Anaphylaxis Guidelines*.

Staff training

The principal will ensure that the following school staff are appropriately trained in anaphylaxis management:

- School staff who conduct classes attended by students who are at risk of anaphylaxis
- School staff who conduct specialist classes, all canteen staff, admin staff, first aiders and any other member of school staff as required by the principal based on a risk assessment.

Staff who are required to undertake training must have completed:

- an approved face-to-face anaphylaxis management training course in the last three years, or
- an approved online anaphylaxis management training course in the last two years.

Eltham Primary School uses the following training course: ASCIA eTraining course (with 22303VIC, or 22300VIC or 10313NAT).

Staff are also required to attend a briefing on anaphylaxis management and this policy at least twice per year (with the first briefing to be held at the beginning of the school year), facilitated by a staff member who has successfully completed an anaphylaxis management course within the last 2 years including the Assistant Principal. Each briefing will address:

- this policy
- the causes, symptoms and treatment of anaphylaxis
- the identities of students with a medical condition that relates to allergies and the potential for anaphylactic reaction, and where their medication is located
- how to use an adrenaline auto-injector, including hands on practice with a trainer adrenaline autoinjector
- the school's general first aid and emergency response procedures
- the location of, and access to, adrenaline autoinjectors that have been provided by parents or purchased by the school for general use.

A record of staff training courses and briefings will be maintained on the school server.

When a new student enrolls at Eltham Primary School who is at risk of anaphylaxis, the principal will develop an interim plan in consultation with the student's parents and ensure that appropriate staff are trained and briefed as soon as possible.

The principal will ensure that while students at risk of anaphylaxis are under the care or supervision of the school outside of normal class activities, including in the school yard, at camps and excursions, or at special event days, there is a sufficient number of school staff present who have been trained in anaphylaxis management.

COMMUNICATION

This policy will be communicated to our school community in the following ways

- Available publicly on our school's website
- Included in staff induction processes
- Included in staff handbook/manual
- Made available in hard copy from school administration upon request.

FURTHER INFORMATION AND RESOURCES

- Policy and Advisory Library:
- [Anaphylaxis](#)

- Allergy & Anaphylaxis Australia: [Risk minimisation strategies](#)
- ASCIA Guidelines: [Schooling and childcare](#)
- Royal Children's Hospital: [Allergy and immunology](#)
- First Aid Policy
- Administration of Medication Policy
- Asthma Management Policy
- Duty of Care Policy
- Working with Children Policy
- Excursions and Camping Policy
- Child Safe Policy
- Health Care needs policy

POLICY REVIEW AND APPROVAL

POLICY LAST REVIEWED	APPROVED BY	NEXT SCHEDULED REVIEW DATE
May 2023	Principal	May 2024

The principal will complete the Department's Annual Risk Management Checklist for anaphylaxis management to assist with the evaluation and review of this policy and the support provided to students at risk of anaphylaxis.

APPENDIX 1

Medication Management Procedures

The school has developed procedures for the appropriate storage and administration of prescribed and non-prescribed medicines to students by school staff with reference to individual student medical information.

1. Student Information

Parents and/or guardians are required to keep the school informed of current medical contact details concerning students and any current medical conditions and appropriate medical history.

Every student who has a medical condition or illness has an individual management plan that is attached to the student's records. This management plan is provided by the student's parents/guardians and contains details of:

- the usual medical treatment needed by the student at school or on school activities
- the medical treatment and action needed if the student's condition deteriorates
- the name, address and telephone numbers for an emergency contact and the student's doctor

2. Administration of prescribed Oral Medication

Parents/guardians are required to inform the principal in writing of any prescribed medication that students need to take in school hours. Where medication is required in spontaneous situations, detailed administration instructions should be provided, for example in the case of asthma attacks. Medication Administration Permission Forms are available from the Administration Office and should be completed and signed by the parent/guardian.

All medication sent to school is to be administered by school staff and, parents/guardians are required to supply medication in a container that gives the name of the medication, name of the student, the dose, and the time it is to be given.

Where medication for more than one day is supplied, it is to be locked in the storage cupboard in the school administration office.

3. Administration of Analgesics

Analgesics are only to be given following permission of parents/guardians and are to be issued by a First Aid Officer who maintains a record to monitor student intake. Analgesics are to be supplied by the parents.

4. Asthma

Asthma is an extremely common condition for Australian students. Students with asthma have sensitive airways in their lungs. When exposed to certain triggers their airways narrow, making it hard for them to breathe.

Symptoms of asthma commonly include:

- cough
- tightness in the chest
- shortness of breath/rapid breathing
- wheeze (a whistling noise from the chest)

Many children have mild asthma with very minor problems and rarely need medication. However, some students will need medication on a daily basis and frequently require additional medication at school (particularly before or after vigorous exercise). Most students with asthma can control their asthma by taking regular medication.

4.1 Student Asthma Information

Every student with asthma attending the school has a written **Asthma Action Plan**, ideally completed by their treating doctor or paediatrician, in consultation with the student's parent/carer.

This plan is attached to the student's records and updated annually or more frequently if the student's asthma changes significantly. The Asthma Action Plan should be provided by the student's doctor and is accessible to all staff. It contains information including:

- usual medical treatment (medication taken on a regular basis when the student is 'well' or as pre-medication prior to exercise)
- details on what to do and details of medications to be used in cases of deteriorating asthma – this includes how to recognise worsening symptoms and what to do during an acute asthma attack
- name, address and telephone number of an emergency contact
- name, address and telephone number (including an after-hours number) of the student's doctor

If a student is obviously and repeatedly experiencing asthma symptoms and/or using an excessive amount of reliever medication, the parents/carers will be notified so that appropriate medical consultation can be arranged. Students needing asthma medication during school attendance must have their medication use; date, time and amount of dose recorded in the First Aid Treatment Book in the sick bay each time for monitoring of their condition.

4.2 Asthma Medication

There are three main groups of asthma medications: relievers, preventers and symptom controllers. There are also combination medications containing preventer and symptom controller medication in the same delivery device.

Reliever medication provides relief from asthma symptoms within minutes. It relaxes the muscles around the airways for up to four hours, allowing air to move more easily through the airways. Reliever medications are usually blue in colour and common brand names include Airomir, Asmol, Bricanyl, Epaq and Ventolin. These medications will be easily accessible to students at all times, preferably carried by the student with asthma. All students with asthma are encouraged to recognise their own asthma symptoms and take their blue reliever medication as soon as they develop symptoms at school.

Preventer medications come in autumn colours (for example brown, orange, and yellow) and are used on a regular basis to prevent asthma symptoms. They are mostly taken twice a day at home and will generally not be seen in the school environment.

Symptom controllers are green in colour and are often referred to as long acting relievers. Symptom controllers are used in conjunction with preventer medication and are taken at home once or twice a day.

Symptom controllers and preventer medications are often combined in one device. These are referred to as combination medications and will generally not be seen at school.

MEDICATION AUTHORITY FORM

For students requiring medication to be administered at school

This form should, ideally, be signed by the student's medical/health practitioner for all medication to be administered at school but schools may proceed on the signed authority of parents in the absence of a signature from a medical practitioner.

- **For students with asthma**, [Asthma Australia's School Asthma Care Plan](#)
- **For students with anaphylaxis**, an [ASCIA Action Plan for Anaphylaxis](#)

Please only complete the sections below that are relevant to the student's health support needs. If additional advice is required, please attach it to this form.

Please note: wherever possible, medication should be scheduled outside school hours, eg medication required three times daily is generally not required during a school day – it can be taken before and after school and before bed.

Student Details

Name of school: **Eltham Primary School**

Name of student: _____ Date of Birth: _____

Medic Alert Number (if relevant): _____

Review date for this form: _____

Medication to be administered at school:

Name of Medication	Dosage (amount)	Time/s to be taken	How is it to be taken? (eg oral/topical/injection)	Dates to be administered	Supervision required
				Start: / / End: / / OR <input type="checkbox"/> Ongoing medication	<input type="checkbox"/> No – student self-managing <input type="checkbox"/> Yes <input type="checkbox"/> remind <input type="checkbox"/> observe <input type="checkbox"/> assist <input type="checkbox"/> administer
				Start: / / End: / / OR <input type="checkbox"/> Ongoing medication	<input type="checkbox"/> No – student self-managing <input type="checkbox"/> Yes <input type="checkbox"/> remind <input type="checkbox"/> observe <input type="checkbox"/> assist <input type="checkbox"/> administer

Medication delivered to the school

Please indicate if there are any specific storage instructions for any medication:

Medication delivered to the school

Please ensure that medication delivered to the school:

- Is in its original package
- The pharmacy label matches the information included in this form

Supervision required

Students in the early years will generally need supervision of their medication and other aspects of health care management. In line with their age and stage of development and capabilities, older students can take responsibility for their own health care. Self-management should be agreed to by the student and their parents/carers, the school and the student's medical/health practitioner.

Please describe what supervision or assistance is required by the student when taking medication at school (e.g. remind, observe, assist or administer):

Monitoring effects of medication

Please note: School staff **do not** monitor the effects of medication and will seek emergency medical assistance if concerned about a student's behaviour following medication.

Privacy Statement

We collect personal and health information to plan for and support the health care needs of our students. Information collected will be used and disclosed in accordance with the Department of Education and Training's privacy policy which applies to all government schools (available at: <http://www.education.vic.gov.au/Pages/schoolsprivacypolicy.aspx>) and the law.

Authorisation to administer medication in accordance with this form:

Name of parent/carer: _____

Signature: _____ Date: _____

Name of medical/health practitioner: _____

Professional role: _____

Signature: _____ Date: _____

Contact details: _____